



Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.






Janganium Hert Delesseed June 1857 Albung My Dobleck _ a ver smele Same, end et - bet vog near S. augustiful My - stig -. like Samuel. å for of Sp. Euryray J. alunt single. of augustifale milkang "Comple 11' Delis de Dem. – only stem leaves, browd. I lie de bead vorg mate-linear stig - What is it A siberi- Spage near Sp. names name om the label of much always with 2 female hears on the bracishes!

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Spanjania Hb Monac. nov. 1854 Springen neten, fl. bavarion stylis melles s. brevitus; puchiby attation sen plus minus lunicoleti, 1. menteti. Sp. simplex very large forms for Regensby with head as large as there of our southern Annote forms legenslung and quite small formy from Munich & Smanworth The plant therefore as we ible as one Amile forms, as to sign — meforter entity no finit

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS




Janjanin Herl. De Candrelle Sept 1857 frame. Tem. murid. Hen Bore Livery Schuld 1148 A.g. 4. Jam cris a voj navolent fra Lucie de mande The minimum noth sible of the state of the s property of the faith of the fa hat genardmen - Horges permer avid in admin. Ilizduring Astria 209. mon fr. mata, of minimum. Int now nothing their Schuly NO 128 - Bolly - 1. men MISSOURI


BOTANICAL copyright reserved cm GARDEN

Theriben for Litheanin for Better be with all the charactery of the Tru / le / Comme den le montre ax. May, pudielles appende admit - ser. C S. natur, " Ex he. Oaker, White land stigm outil - lagentifice mich? Janney = Paryoup. Ji. Carolin mendonel, France. is a houseled for of for amountain Du frame a next page stig - Cimean MISSOURI BOTANICAL

copyright reserved cm GARDEN







Mpril 1856 Jenzan'un I. Stigmentibes likensten elongeter, style multo longromber, surpius binis Dryin sessilibing the same felicio who triangulantes, latteribes, comis 1. Sp. eury carpon folis lete linearities, carrinatis, versus bisin vix carried to angulantes latente, consavi taute ramosed, rapitule ramorum inferiori famino superion bus numerosis, mesoulis floribus femineis plennique Digynis, stylo brusismo stignatiles multoties Congion bes Juamis venns apiren Hatetis inomente, transmite, Anipa basianquitate, sessili apire valde Sletata applanata briviter apriculati. . Stoutest of all Spragain known to me , 2-3 fee theres 8-9 l. wite festile heads mostly on the bys branches only, long pedenoled, fruiting heard fully one inch - Sheet, single from to 2/2-4 l. long and 2/2 l. unde at top) with a short forint (style) Monies - Sperins for the lypes 2. Julyour Geyen are from the Gellowton (trying) navn a little smaller head, with a land the more posites finits are not ripe yet. - doubte likean with usuch d'lated points. _ flowers from winter Newspork (groy) show the same shape of scales. In then plants, espenally the New york for belong to the next species MISSOURI

copyright reserved

cm

BOTANICAL

GARDEN

2) Sp. ramosum folis late linear bus infra triangelandes lateribus comraving Tuele samoso, capitale samon aferios femilies, superiles municipales municipales Combus poummeis monogynis s. suepe sizynis stigmentites objeto brevissines multoties Congrantes Quanis = 1 hemispheniro standsto, municonato Very similar to the last, but a much smaller plant, 12-2 feel high, fledwers as off monorions 4 Abirous, feitile head 8-10 l. i Sant frit 2/2 l. log, 13/4 in thickness. Does it grow in the U.S. ? me that I some the for the form and a facility of the second of the second of the A evertar subregue to singulis, drupis they wing stripitation of the Modernia part. follis lineam bus rufin triangularibus leten bus planes. Turke ramoso, sais mertile husvale solum gerentibus, apier Termineli infor apitule formsten sessilin, sopra musosela pluna gerente. luis stylen subarquents ling lavoirs, s. supsime bifilis MISSOURI

BOTANICAL

GARDEN

copyright reserved

Drupa (vix angulatin) accuminata, basi angulate stipstills Can 1/2-2 feel high; all my sperimens show sterile brunches at the time of the fite terminal spike just as Elliot A.521 Isombes his - fruiting heard I inch i d'ameter, single fruits 4/2 - 5 Chis long, 1- 1/4 thick I am unserting whith This is Muttell' plant or whith all sim a forms from belong here Verhaps my plant, role by the Centri in M. Caroling belongs to the next speries, lower heads of mainspike permoled, ptile, no sterrile head branches. The ramosum S. Cawe " sont by Jong belongs withen to of amins or to of. simplex, fuits only 3/2 lines long, 1 l. thick _ otherwise in his Nort of Stanis sp. Itolonifer. - I have not exact 4. Sp. amen met see other J. Ve J. Sp. simplex. plin linearity infra triangularity lateribus planies
omile simpleri spirae terminalis orpitalishimis pedramlety supering sessiblility marrily que numeros es gontitus. flowbury = 3. Stign style brown to Squamis aporte Matetoi sotumbatis membranis dentionlatis

dente onlatis

dente o European plant, head of fint about 8 l. Next fuil 3-3/2 l. long, 3/4 l. thick. Does it ever grow - 11 change is Castes Julat, mentioned above, their species! Theida, My, it might also be the Europee of Shylex MISSOURI

BOTANICAL copyright reserved GARDEN

the stigmate are was shorter them in The european at amente Morris plant and may be that this oraids plant is the time In americanum, and the Mosing plant a Destrict Speries. _ Buther Ohers plant the seed of which I do not have the stigmes are only half ad Cory astyle Mittale II. 2003 and Jung flow my stigme hefeslong es style, which is the case in the Oheide at Monoton plants, but not in the Stlowing. Unfortunitely I have no fruit Atte Amerianen. Jp-1-1-1 Af Sp. amen ræmmen ex descript. I sper im. insperfect. folis fafon tringularion, lateribus planis mile simplisi, capitalis suferiordes formhein pen tiber s. mor pedramets flor: 6. form. 19ymis, stymulien Horigis stylum Dimidiam aggentite sjærnis aprice d'attilis obtiesatis, dutis mentis Josepis Fertinalis, Itasi sibilitati amili The Maries plant sums to be Istinguished by the Cargo hears, Cargo full & longer stigments and by the lowers milebrukes of spike a I might be manus androctadum The unique fuil of Sp. amond and from S. Caroline is 3/2 l. Cy a 1 l. thick MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI

BOTANICAL copyright reserved cm GARDEN

6. Spanjanium affine Schmislen folis anguste eshang (mitantiles) flamispriacinglesis repetation information fermans serrilibus, supenals musiculis plembes. florites formers of grains; shymthe linearing Mys' style brevoritus. Juni stipitation I Cataling laving Dryn shipitate aintraterate. Likes on the Schwagwell, near fraits.

Stewn flowers leaves swaming heads 6-7

lines in Daniet, fruits 3 l. lo, 34. minimum Bankin trig 1. Sp. nalans Lie folis anguste Cheents flered (malanti Gus) spira spraficis up talis inferiores, foem. semilibes panis, superitte singulo musicalo florites four morogynis stig metitels
oblogistican, mortis, styla brovin monsta bravioriles squaries oblinerables. Ales is super my finitity, and the Rond = german (2 n.S.) fix fifty by heard Simultan - Heard smaller the it last - fruit shorter, not as much stipitate. MISSOURI BOTANICAL

copyright reserved GARDEN

A. stigmations Pinanbus cloriques, stayto mullo longioneles suepe befries Doupis acoulets 1. Sp. eury rayoum. Holis plent, raintes, busines sale trimpelent; fl. fem plengre Sygnis A. Ramosac spiring ramons folies places, For cannotis, sufra Slaters on conveniences subtrivuelariles , stigmethet suepe limes liveants style brevi mulleties Congiones, Superserili 1. Sp. augrangemen florites form. plenge Dynnis Jupa multangela aprite veters, applants, valde dettate, breviter aportate 2. Sp. ramosun Hudson flor, form monogy 3. supe Lygnis, drupe statisegelet, aprile femisphense, W. Simplives spisis plenger single stignations simplished later by places. breventer; mye stipitate. I. Sp. andvaladem spisa menne, sami, meserli Jermhates parte sessitions. Istignated stylun nlugutiles, (squaisplancis s. bifis), Argu longe arminats. 4. Sp. simpley Huspiraesinglisis repitation fremhein Therenous species of Sentionales, shints summer of bongs steps to brownish, Impais arunny J. Sp. americane Mett spire simplisis repetite! Journeis semilibes es. infantos by Subside poduntes
squaris aprire obtasitis, denti oulite, stignatios
oblongis stylus Shuidi aegenti by Supa 26stipetet, amount. MISSOURI

BOTANICAL

GARDEN

copyright reserved

C. Natautes spins, shaples by folis

plans flam dis plenger natural bay stigner

singles oblogies steps brevioribus. Inquisitely

6. Sp. affine schister transitudes musualis plumbes

parties of guntels timeen oblogies, steps brushilg

7. Sp. natures lineary oblogies suborngalis


7. Sp. natures lineary oblogies, steps has suborngalis

stignalistus oblogies, steps has summate methodorisches, super brushilpiths.

Vander Lander GE 1. Localidad Secondada Second



The state of the one of the brevering in the three of the state of the The state of the s Dante Comprise The Miller The state of the s the state of the s MISS ... BOTANICAL GARDEN GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL copyright reserved cm GARDEN





02811

dens

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS

988 / 130 202 / 11/2 Melanyana prahama des.








sucharine, andreads aromater resemble of Ornipple , Sanana Thom berry etc.

SEORGE ENGELMANN PAPERS










MISSURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS







MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



Caladium esoulentim call i my garden Nov. 10 1874 Convers in 3/2 order, knærgin it bese overlapping 1.2.3.4. 5. slange ax. Many but _ not eximize Their their are eng latere (acressory) buds, leaves long since decayor. 6. 7. 8 ap May buds of 3 leaves : 6 with 1 Litersony buds 8 mitt 18 Averson bud I found distance from one another And of Siferent size, the innermost by no wearns always lægest. actual d'mension, and proportions as represented

